

ZOYSIAGRASS LAWN CALENDAR

B Best mo		nth		P	Possible Month		M		M arginal month		
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
			ОК	ОК	ОК	ОК	ОК	OK	ОК		
			ОК	ОК	ОК	ОК	ок	OK	ОК		
			P	В	В	В	В	P			
			P	В	В	В	P				
				P	P	P	P				
				В	В	P					
			P	В	В	В	P				
	В	В	M								
ОК	ОК	ок	ОК	ОК	ок	ОК	ОК	OK	ОК	ОК	ОК
				В	В	P	P				
								В	P		

MOWING HEIGHT:

1/2" - 1 1/2"; raise 1/2" higher during summer heat. Remove no more than 1/3 total height at one time.

WATER:

1 inch per week if no rainfall

FERTILIZATION:

Use any turf fertilizer twice per year. Follow label directions and rate.

IDEAL pH RANGE: 5.5-6.5

Use dolomitic lime per soil test recommendations. Can be applied at any time.

AERATION:

Use a core aerator during active growth season.

DETHATCH: If thatch exceeds .5" deep use a vertical mower with blades 1" apart; go over the lawn only two directions. Topdressing with .25" soil is most effective.

SEEDING - NEW LAWN:

1 - 2 lb. per 1000 square feet

OVERSEEDING - ESTABLISHED LAWN:

Overseeding zoysia with ryegrass is not recommended

SODDING

500 sq. ft. per pallet typical

WEED CONTROL:

Read product label carefully to determine which weeds are controlled and on which grasses the product can be used.

Spring pre-emergent* (prevents crabgrass, goosegrass and other summer weed seeds from sprouting)

Broadleaf post-emergent * (spot spray to kill broadleaf plants like chickweed, wild violet, dandelion, wild onion, etc)

Grassy weed post-emergent* (kills grassy weeds like crabgrass, dallisgrass, etc. Do not apply to drought-stressed Zoysia.)

Winter pre-emergent* (prevents chickweed and other winter weed seeds from sprouting)

^{*} Read weed control product labels carefully. Some products can not be applied to lawns that will be seeded within a few weeks or when transitioning to active growth. March, 2006